



NKPZ.E35311 Motor Controllers, Float- and Pressure-Operated

Motor Controllers, Float- and Pressure-Operated

[See General Information for Motor Controllers, Float- and Pressure-Operated](#)

VENTURE MEASUREMENT L L C

150 VENTURE BLVD
SPARTANBURG, SC 29306 USA

E35311

Pressure-operated switch: Model GT-1.

[Last Updated](#) on 1999-11-18

[Copyright © 2008 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.





NOWT.E35148

Float- and Pressure-operated Motor Controllers for Use in Hazardous Locations

Float- and Pressure-operated Motor Controllers for Use in Hazardous Locations

[See General Information for Float- and Pressure-operated Motor Controllers for Use in Hazardous Locations](#)

VENTURE MEASUREMENT L L C

150 VENTURE BLVD
SPARTANBURG, SC 29306 USA

E35148

Class I, Groups C and D; Class II, Groups E, F and G.

Pressure-operated switches.

Models GSX-1, GSXA-1, GTX-1, GTXA-1, liquid level indicators, rated 15 amp, 125, 250 or 480 v, ac; 375 va, 125 v, ac; 750 va, 250 v, ac, pilot duty.

Float operated switches.

Series GFA, Model GFA followed by 1 through 4, followed by X, followed by 2, 3 or 4, followed by 1 through 99, followed by 10.

Last Updated on 1999-11-18

Copyright © 2008 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

